



VERSAPASS® DA Black

Safety Data Sheet

according to SafeWork Australia GHS 7
Issue date: 8/24/2023 Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Name : VERSAPASS® DA Black

1.2. Recommended use and restrictions on use

Use of the substance/mixture : printing inks
Restrictions on use : Other

1.3. Supplier

Memjet North Ryde Pty Ltd.
6-8 Lyonpark Road
North Ryde NSW 2113
Australia
T +61 2 8875 3100

1.4. Emergency telephone number

Emergency number : For Hazardous Materials Incidents (spill, leak, fire, exposure, or accident) call: CHEMTREC:
U.S. 1-800-424-9300 International: +1-703-527-3887
CHEMTREC (24 HOURS)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS AUS classification

Not classified
Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS labeling

No labeling required

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS)

0.11% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)
0.11% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)
0.11% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

VERSAPASS® DA Black

Safety Data Sheet

according to SafeWork Australia GHS 7

3.2. Mixtures

Name	Product identifier	%	GHS classification
Ethylene glycol	CAS-No.: 107-21-1	5 - <10	Acute Tox. 4 (Oral), H302 STOT RE 2, H373
Sulfonated azo dye	CAS-No.: 1422649-48-6	0.5 - < 0.8	Skin Sens. 1, H317

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Comments : No other components are listed on the SDS because they are not classified as hazardous, and/or they are present below applicable thresholds and are not required to be shown.

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact : Gently wash with plenty of soap and water.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Immediate medical attention and special treatment, if necessary

No special procedures required.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : None known.

5.2. Specific hazards arising from the chemical

Fire hazard : No particular fire or explosion hazard.

Explosion hazard : Product is not explosive.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use extinguishing media appropriate for surrounding fire.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Wear fire/flammable resistant/retardant clothing. Wear a self contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Take up small spills with dry chemical absorbent.

6.1.2. For emergency responders

Emergency procedures : Take up small spills with dry chemical absorbent.

6.2. Environmental precautions

Do not discharge into drains or the environment.

VERSAPASS® DA Black

Safety Data Sheet

according to SafeWork Australia GHS 7

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal.

6.4. Reference to other sections

Section 7: safe handling. Section 8: personal protective equipment. Section 13: disposal information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin, eyes and clothing.
Hygiene measures : Wash hands, forearms and face thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container.
Incompatible products : None known.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

VERSAPASS® DA Black

No additional information available

Ethylene glycol (107-21-1)

Occupational Exposure Limits

Local name	Ethylene glycol
SafeWork Australia OEL TWA [ppm]	20 ppm (V - Vapor fraction)
SafeWork Australia OEL (mg/m³)	10 mg/m³ (I - Inhalable particulate matter, H - Aerosol only)
SafeWork Australia OEL STEL [ppm]	40 ppm (V - Vapor fraction)
Remark	TLV® Basis: Skin

Sulfonated azo dye (1422649-48-6)

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : No special work practices are needed beyond the above recommendations under anticipated conditions of normal use.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

nitrile rubber gloves.

Eye protection:

None under normal use

Respiratory protection:

None under normal use

VERSAPASS® DA Black

Safety Data Sheet

according to SafeWork Australia GHS 7

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Black liquid.
Color	: Black
Odor	: No data available
Odor threshold	: No data available
pH	: 7.5
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: Soluble in water.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known.

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

No additional information available

VERSAPASS® DA Black

Safety Data Sheet

according to SafeWork Australia GHS 7

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

VERSAPASS® DA Black

Unknown acute toxicity (GHS)	0.11% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral) 0.11% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal) 0.11% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))
------------------------------	---

Ethylene glycol (107-21-1)

LD50 Oral rat	7712 mg/kg Source: ECHA
LD50 Dermal rat	> 3500 mg/kg
LC50 Inhalation rat	> 2.5 mg/l/4h
ATE (oral)	500 mg/kg body weight

Sulfonated azo dye (1422649-48-6)

LD50 Oral rat	> 2000 mg/kg body weight No mortality. OECD 423.
LD50 Dermal rat	> 2000 mg/kg No mortality. OECD 402.
ATE (dust, mist)	5.1 mg/l/4h

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitization : Not classified.
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified

Ethylene glycol (107-21-1)

LOAEL (oral,rat,90 days)	1000 mg/kg bodyweight/day
NOAEL (oral,rat,90 days)	150 mg/kg bodyweight/day kidneys
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified
Viscosity, kinematic : No data available
Symptoms/effects after skin contact : May cause an allergic skin reaction.

SECTION 12: Ecological information

12.1. Toxicity

Ethylene glycol (107-21-1)

LC50 fish 1	72860 mg/l Pimephales promelas
EC50 crustacea	> 100 mg/l Daphnia magna
NOEC (chronic)	≥ 1000 mg/l Americamysis bahia, 23 d
NOEC chronic fish	15380 mg/l Pimephales promelas

VERSAPASS® DA Black

Safety Data Sheet

according to SafeWork Australia GHS 7

Ethylene glycol (107-21-1)

NOEC chronic crustacea	8590 mg/l Ceriodaphnia sp.
------------------------	----------------------------

12.2. Persistence and degradability

Ethylene glycol (107-21-1)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

Biodegradation	> 60 % 28 days
----------------	----------------

12.3. Bioaccumulative potential

Ethylene glycol (107-21-1)

Log Pow	- 1.36
---------	--------

Bioaccumulative potential	Not expected to bioaccumulate.
---------------------------	--------------------------------

12.4. Mobility in soil

Ethylene glycol (107-21-1)

Mobility in soil	0.2 Source: HSDB
------------------	------------------

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods	: Do not dispose in household garbage. Dispose in a safe manner in accordance with local/national regulations.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (DOT)	: Not applicable
Proper Shipping Name (ADG)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT)	: Not applicable
----------------------------------	------------------

ADG

Transport hazard class(es) (ADG)	: Not applicable
----------------------------------	------------------

VERSAPASS® DA Black

Safety Data Sheet

according to SafeWork Australia GHS 7

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (DOT) : Not applicable

Packing group (ADG) : Not applicable

Packing group (IMDG) : Not applicable

Packing group (IATA) : Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

DOT

No data available

ADG

No data available

IMDG

No data available

IATA

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Australian Inventory of Industrial Chemicals

Name	CAS-No.	CR No.
Ethylene glycol	107-21-1	2712
Sulfonated azo dye	1422649-48-6	Not present

15.2. International regulations

US Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
Ethylene glycol	107-21-1	Present	Active	
Sulfonated azo dye	1422649-48-6	Not present	-	

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Ethylene glycol	CAS-No. 107-21-1	9%
-----------------	------------------	----

VERSAPASS® DA Black

Safety Data Sheet

according to SafeWork Australia GHS 7

US State regulations



WARNING:

This product can expose you to Ethylene glycol (ingested), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

CANADA

Ethylene glycol (107-21-1)

Listed on the Canadian DSL (Domestic Substances List)

Sulfonated azo dye (1422649-48-6)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Ethylene glycol (107-21-1)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

SECTION 16: Other information

Data sources : ACGIH (American Conference of Government Industrial Hygienists). European Chemicals Agency (ECHA) C&L Inventory database. Accessed at <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>. National Fire Protection Association; Fire Protection Guide to Hazardous Materials; 10th edition. Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition. Manufacturer Information. US National Library of Medicine National Institutes of Health Haz-Map. Accessed at <http://hazmap.nlm.nih.gov>.

Full text of H-phrases

H302	Harmful if swallowed
H317	May cause an allergic skin reaction
H373	May cause damage to organs through prolonged or repeated exposure

Abbreviations and acronyms

ACGIH (American Conference of Government Industrial Hygienists)
ATE Acute Toxicity Estimate
CAS (Chemical Abstracts Service) number
CLP: Classification, Labelling, Packaging.
EC50: Environmental Concentration associated with a response by 50% of the test population.
GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).
LD50: Lethal Dose for 50% of the test population
TWA: Time Weighted Average

Safety Data Sheet (SDS), AUS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.