



# VERSAPASS® DA Yellow

## Safety Data Sheet

according to SafeWork Australia GHS 7  
Issue date: 9/5/2023 Version: 1.0

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
Name : VERSAPASS® DA Yellow

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : printing inks  
Restrictions on use : Other

#### 1.3. Supplier

Memjet North Ryde Pty Ltd.  
6-8 Lyonpark Road  
North Ryde NSW 2113  
Australia  
T +61 2 8875 3100

#### 1.4. Emergency telephone number

Emergency number : For Hazardous Materials Incidents (spill, leak, fire, exposure, or accident) call: CHEMTREC:  
U.S. 1-800-424-9300 International: +1-703-527-3887  
CHEMTREC (24 HOURS)

Country	Organisation/Company	Address	Emergency number	Comment
Australia	NSW Poisons Information Centre The Children's Hospital at Westmead	Locked Bag 4001 NSW 2145	13 11 26	

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS AUS classification

Not classified

#### 2.2. GHS Label elements, including precautionary statements

##### GHS labelling

No labelling applicable

#### 2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification : No additional hazards have been identified.

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

# VERSAPASS® DA Yellow

## Safety Data Sheet

according to SafeWork Australia GHS 7

### 3.2. Mixtures

Name	Product identifier	%	GHS classification
Ethylene glycol	CAS-No.: 107-21-1	5 - <10	Acute Tox. 4 (Oral), H302 STOT RE 2, H373

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Comments : No other components are listed on the SDS because they are not classified as hazardous, and/or they are present below applicable thresholds and are not required to be shown.

Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation : If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact : Gently wash with plenty of soap and water.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Contains: 1,2-benzisothiazolone(2634-33-5). May cause an allergic skin reaction.

### 4.3. Immediate medical attention and special treatment, if necessary

No special procedures required.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : None known.

### 5.2. Specific hazards arising from the chemical

Fire hazard : No particular fire or explosion hazard.

Explosion hazard : Product is not explosive.

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use extinguishing media appropriate for surrounding fire.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Wear fire/flammable resistant/retardant clothing. Wear a self contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Take up small spills with dry chemical absorbent.

#### 6.1.2. For emergency responders

Emergency procedures : Take up small spills with dry chemical absorbent.

### 6.2. Environmental precautions

Do not discharge into drains or the environment.

# VERSAPASS® DA Yellow

## Safety Data Sheet

according to SafeWork Australia GHS 7

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal.

### 6.4. Reference to other sections

Section 7: safe handling. Section 8: personal protective equipment. Section 13: disposal information.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin, eyes and clothing.  
Hygiene measures : Wash hands, forearms and face thoroughly after handling.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container.  
Incompatible products : None known.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### VERSAPASS® DA Yellow

No data available

#### Ethylene glycol (107-21-1)

##### Occupational Exposure Limits

Local name	Ethylene glycol
SafeWork Australia OEL TWA [ppm]	20 ppm (V - Vapor fraction)
SafeWork Australia OEL (mg/m³)	10 mg/m³ (I - Inhalable particulate matter, H - Aerosol only)
SafeWork Australia OEL STEL [ppm]	40 ppm (V - Vapor fraction)
Remark	TLV® Basis: Skin

### 8.2. Appropriate engineering controls

Appropriate engineering controls : No special work practices are needed beyond the above recommendations under anticipated conditions of normal use.

### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

nitrile rubber gloves

#### Eye protection:

None under normal use

#### Respiratory protection:

None under normal use

# VERSAPASS® DA Yellow

## Safety Data Sheet

according to SafeWork Australia GHS 7

---

### SECTION 9: Physical and chemical properties

---

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Yellow liquid.
Colour	: Yellow
Odour	: No data available
Odour threshold	: No data available
pH	: 7.5
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Solubility	: Soluble in water.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

#### 9.2. Other information

No data available

---

### SECTION 10: Stability and reactivity

---

#### 10.1. Reactivity

No dangerous reactions known.

#### 10.2. Chemical stability

The product is stable at normal handling and storage conditions.

#### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

None known.

#### 10.5. Incompatible materials

None known.

#### 10.6. Hazardous decomposition products

No dangerous decomposition products known.

# VERSAPASS® DA Yellow

## Safety Data Sheet

according to SafeWork Australia GHS 7

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

#### VERSAPASS® DA Yellow

Unknown acute toxicity (GHS)	0.11% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral) 0.11% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal) 0.11% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))
------------------------------	---

#### Ethylene glycol (107-21-1)

LD50 Oral rat	7712 mg/kg Source: ECHA
LD50 Dermal rat	> 3500 mg/kg
LC50 Inhalation rat	> 2.5 mg/l/4h
ATE (oral)	500 mg/kg bodyweight

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

#### Ethylene glycol (107-21-1)

LOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight/day
NOAEL (oral, rat, 90 days)	150 mg/kg bodyweight/day kidneys
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects after skin contact	: Contains: Sulfonated azo dye 1422649-48-6). May cause an allergic skin reaction.

### SECTION 12: Ecological information

#### 12.1. Toxicity

#### Ethylene glycol (107-21-1)

LC50 fish 1	72860 mg/l Pimephales promelas
EC50 crustacea	> 100 mg/l Daphnia magna
NOEC (chronic)	≥ 1000 mg/l Americamysis bahia, 23 d
NOEC chronic fish	15380 mg/l Pimephales promelas
NOEC chronic crustacea	8590 mg/l Ceriodaphnia sp.

#### 12.2. Persistence and degradability

#### Ethylene glycol (107-21-1)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

# VERSAPASS® DA Yellow

## Safety Data Sheet

according to SafeWork Australia GHS 7

### Ethylene glycol (107-21-1)

Biodegradation	> 60 % 28 days
----------------	----------------

#### 12.3. Bioaccumulative potential

### Ethylene glycol (107-21-1)

Log Pow	- 1.36
---------	--------

Bioaccumulative potential	Not expected to bioaccumulate.
---------------------------	--------------------------------

#### 12.4. Mobility in soil

### Ethylene glycol (107-21-1)

Mobility in soil	0.2 Source: HSDB
------------------	------------------

#### 12.5. Other adverse effects

No data available

## SECTION 13: Disposal considerations

#### 13.1. Disposal methods

Waste treatment methods	: Do not dispose in household garbage. Dispose in a safe manner in accordance with local/national regulations.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.

## SECTION 14: Transport information

In accordance with ADG / IMDG / IATA

#### 14.1. UN number

Not regulated for transport

#### 14.2. UN proper shipping name

Proper Shipping Name (ADG)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable

#### 14.3. Transport hazard class(es)

##### TDG

Transport hazard class(es) (ADG)	: Not applicable
----------------------------------	------------------

##### IMDG

Transport hazard class(es) (IMDG)	: Not applicable
-----------------------------------	------------------

##### IATA

Transport hazard class(es) (IATA)	: Not applicable
-----------------------------------	------------------

#### 14.4. Packing group

Packing group (ADG)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable

# VERSAPASS® DA Yellow

## Safety Data Sheet

according to SafeWork Australia GHS 7

### 14.5. Environmental hazards

Other information : No supplementary information available.

### 14.6. Special precautions for user

#### TDG

No data available

#### IMDG

No data available

#### IATA

No data available

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Australian Inventory of Industrial Chemicals

Name	CAS-No.	CR No.
Ethylene glycol	107-21-1	2712

### 15.2. International regulations

#### US Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
Ethylene glycol	107-21-1	Present	Active	

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Ethylene glycol	CAS-No. 107-21-1	9%
-----------------	------------------	----

#### US State regulations



#### WARNING:

This product can expose you to Ethylene glycol (ingested), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

#### CANADA

#### Ethylene glycol (107-21-1)

Listed on the Canadian DSL (Domestic Substances List)

#### EU-Regulations

No additional information available

#### National regulations

#### Ethylene glycol (107-21-1)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

# VERSAPASS® DA Yellow

## Safety Data Sheet

according to SafeWork Australia GHS 7

### SECTION 16: Other information

Data sources : ACGIH (American Conference of Government Industrial Hygienists). European Chemicals Agency (ECHA) C&L Inventory database. Accessed at <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>. National Fire Protection Association; Fire Protection Guide to Hazardous Materials; 10th edition. Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition. Manufacturer Information. US National Library of Medicine National Institutes of Health Haz-Map. Accessed at <http://hazmap.nlm.nih.gov>.

#### Full text of H-statements

H302	Harmful if swallowed.
H373	May cause damage to organs through prolonged or repeated exposure.

#### Abbreviations and acronyms

ACGIH (American Conference of Government Industrial Hygienists)
NOAEL No-Observed Adverse Effect Level
CAS (Chemical Abstracts Service) number
CLP: Classification, Labelling, Packaging.
EC50: Environmental Concentration associated with a response by 50% of the test population.
GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).
LD50: Lethal Dose for 50% of the test population
TWA: Time Weighted Average
ATE: Acute Toxicity Estimate

Safety Data Sheet (SDS), AUS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.