

SECTION 1: Product identifier

1.1. GHS Product identifier

Product form : Mixture
 Trade name : VERSAPASS® DA-W v2 Cyan

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use : Ink for printing
 Restrictions on use : No additional information available

1.4. Details of manufacturer or importer

Supplier

Memjet Ltd.
 14 Montague Lane
 Dublin 2, D02 PX60
 Ireland
 +353 1 678 0420
 msds@memjet.com
 www.memjet.com

Importer

1.5. Emergency phone number

Emergency number : CHEMTREC Primary Phone Numbers (24 hours): U.S. 1-800-424-9300, International: +1-703-527-3887
 Local : +61 2 9037 2994, 1800 862 115 (Toll free)

Country/Area	Organisation/Company	Address	Emergency number	Comment
Australia	NSW Poisons Information Centre The Children's Hospital at Westmead	Locked Bag 4001 NSW 2145 Sydney	13 11 26	

SECTION 2: Hazard identification

2.1. Classification of the hazardous chemical

Classification according to the model Work Health and Safety Regulations (WHS Regulations)

Skin sensitisation, category 1A H317

2.2. GHS Label elements, including precautionary statements

Hazard pictograms (GHS AU) :



Exclamation
mark

Signal word (GHS AU) : Warning
 Contains : 1,2-benzisothiazol-3(2H)-one (< 0.5 %)
 Hazard statements (GHS AU) : H317 - May cause an allergic skin reaction
 Precautionary statements (GHS AU) : P280 - Wear protective gloves, protective clothing.
 P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
 P333+P313 - If skin irritation or rash occurs: Get medical advice, medical attention.

VERSAPASS® DA-W v2 Cyan

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition and information on ingredients

Name	CAS-No.	Conc.	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Ethylene glycol	107-21-1	< 10	Acute Tox. 4 (Oral), H302 STOT RE 2, H373
Glycerine	56-81-5	< 5	Not classified
Sodium hydroxide	1310-73-2	< 0.5	Skin Corr. 1A, H314
1,2-benzisothiazol-3(2H)-one	2634-33-5	< 0.5	Acute Tox. 4 (Oral), H302 Acute Tox. 2 (Inhalation), H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Other substances (not contributing to the classification of this product)	-	Up to 100%	-

SECTION 4: First aid measures

4.1. Description of necessary first-aid measures

First-aid measures after inhalation	: If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Wash skin thoroughly with mild soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell.
First-aid measures after ingestion	: Do not induce vomiting. Rinse mouth out with water. Get medical advice/attention if you feel unwell.

4.2. Symptoms caused by exposure

Symptoms/effects after inhalation	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	: May cause an allergic skin reaction. Rednesses. Itching. Swelling. Allergic skin rash.
Symptoms/effects after eye contact	: Not expected to present a significant eye contact hazard under anticipated conditions of normal use.
Symptoms/effects after ingestion	: Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Medical attention and special treatment

No additional information available

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Dry powder. Carbon dioxide. Water spray. Foam. Use extinguishing agent suitable for surrounding fire.
Unsuitable extinguishing media	: Do not use a heavy water stream.

VERSAPASS® DA-W v2 Cyan

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

5.2. Specific hazards arising from the chemical

- | | |
|--|--|
| Fire hazard | : Presents no particular fire or explosion hazard. Burning produces stinking and toxic fumes. In case of fire and/or explosion do not breathe fumes. |
| General measures | : Avoid all contact with skin, eyes, or clothing. |
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. Carbon dioxide. Carbon monoxide. |

5.3. Special protective equipment and precautions for fire-fighters

- | | |
|--------------------------------|---|
| Firefighting instructions | : Evacuate the danger area. Move containers from fire area if it can be done without personal risk. Use water spray or fog for cooling exposed containers. Fight fire from safe distance and protected location. Use extinguishing media appropriate for surrounding fire. Prevent fire fighting water from entering the environment. |
| Protection during firefighting | : Wear a self contained breathing apparatus. Wear fire/flammable resistant/retardant clothing. Do not attempt to take action without suitable protective equipment. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- | | |
|------------------|---|
| General measures | : Avoid all contact with skin, eyes, or clothing. |
|------------------|---|

6.1.1. For non-emergency personnel

- | | |
|----------------------|--|
| Protective equipment | : Wear recommended personal protective equipment. |
| Emergency procedures | : Evacuate unnecessary personnel. Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing vapours. Do not touch or walk on the spilled product. No action shall be taken without appropriate training or involving any personal risk. |

6.1.2. For emergency responders

- | | |
|----------------------|--|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. |
| Emergency procedures | : Evacuate unnecessary personnel. Ventilate area. |

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and materials for containment and cleaning up

- | | |
|-------------------------|---|
| For containment | : Stop leak without risks if possible. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Caution : this product can cause the floor to be slippery. |
| Methods for cleaning up | : Move containers from spill area. Recover small spills with a suitable absorbent, like diatomaceous earth. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Ventilate spillage area. Clean contaminated surfaces with an excess of water. Prevent entry to sewers and public waters. |

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- | | |
|-------------------------------|--|
| Precautions for safe handling | : Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Ensure good ventilation of the work station. Provide local exhaust or general room ventilation. Do not breathe vapours. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. |
| Hygiene measures | : Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. |

VERSAPASS® DA-W v2 Cyan

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Strong oxidizers, Store in a dry place. Keep away from food, drink and animal feedingstuffs. Keep container tightly closed. Containers which are opened should be properly resealed and kept upright to prevent leakage. Store in accordance with local, regional, national or international regulation.

SECTION 8: Exposure controls and personal protection

8.1. Control parameters - exposure standards

Ethylene glycol (107-21-1)	
Australia - Occupational Exposure Limits	
Local name	Ethylene glycol (Ethane-1,2-diol)
OES TWA	10 mg/m ³ particulate
	52 mg/m ³ vapour
	20 ppm vapour
OES STEL	104 mg/m ³ vapour
	40 ppm vapour
Remark (AU)	Sk - Absorption through the skin may be a significant source of exposure.
Regulatory reference	Workplace exposure standards for airborne contaminants (2024)
Glycerine (56-81-5)	
Australia - Occupational Exposure Limits	
Local name	Glycerin mist
OES TWA	10 mg/m ³
Remark (AU)	(a) This value is for inhalable dust containing no asbestos and < 1% crystalline silica.
Regulatory reference	Workplace exposure standards for airborne contaminants (2024)
Sodium hydroxide (1310-73-2)	
Australia - Occupational Exposure Limits	
Local name	Sodium hydroxide
OES C	2 mg/m ³
Regulatory reference	Workplace exposure standards for airborne contaminants (2024)

8.2. Monitoring methods

Monitoring methods : Refer to all applicable national, international and local regulations or provisions.

8.3. Engineering controls

Appropriate engineering controls : Provide local exhaust or general room ventilation. Ensure exposure is below occupational exposure limits (where available). Handle in accordance with good industrial hygiene and safety procedures. Avoid all unnecessary exposure.

8.4. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment : Wear recommended personal protective equipment.

Hand protection : Wear suitable gloves resistant to chemical penetration. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer

Eye protection : Even though no specific eye irritation data are available, wear eye protection appropriate to conditions of use when handling this material

VERSAPASS® DA-W v2 Cyan

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Skin and body protection	: Wear suitable protective clothing. Skin protection appropriate to the conditions of use should be provided
Respiratory protection	: No respiratory protection needed under normal use conditions. Where excessive vapour, mist, or dust may result, use approved respiratory protection equipment
Environmental exposure controls	: Avoid release to the environment. Technical onsite conditions and measures to reduce or limit discharges, air emissions and releases to soil.

SECTION 9: Physical and chemical properties

Physical state	: Liquid
Appearance	: No data available
Colour	: Blue
Odour	: No data available
Odour threshold	: No data available
pH	: 6 – 8
pH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point / Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Flammability	: No data available
Vapour pressure	: No data available
Relative density	: No data available
Density	: Relative density: 1 – 1.1
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, dynamic	: 2 – 4 mPa·s (25 °C)
Explosive properties	: No data available
Explosive limits	: No data available
Minimum ignition energy	: No data available
Fat solubility	: No data available

SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport. No dangerous reactions known.
Chemical stability	: Stable under normal conditions of use.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use. Hazardous polymerisation: Will not occur.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7). Protect from sunlight. Overheating. Extremely high or low temperatures.
Incompatible materials	: Oxidising agents.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Ethylene glycol (107-21-1)

LD50 dermal rat	> 3500 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	> 2.5 mg/l/4h
LC50 Inhalation - Rat (Vapours)	> 2.5 mg/l/4h

VERSAPASS® DA-W v2 Cyan

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Glycerine (56-81-5)	
LD50 oral rat	12600 mg/kg
LD50 dermal rabbit	> 10000 mg/kg
LC50 Inhalation - Rat (Vapours)	> 2 mg/l/4h

Skin corrosion/irritation	: Not classified. pH: 6 – 8
Serious eye damage/irritation	: Not classified pH: 6 – 8
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

Ethylene glycol (107-21-1)	
LOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight/day
NOAEL (oral, rat, 90 days)	150 mg/kg bodyweight/day (kidney)
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard	: Not classified
Other information	: No experimental study on the product is available. The information given is based on our knowledge of the components and the classification of the product is determined by calculation

SECTION 12: Ecological information

According to the National Code of Practice for the Preparation of Material Safety Data Sheets, Environmental classification information is not mandatory. Information relevant for GHS classification is available on request

12.1. Ecotoxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

Ethylene glycol (107-21-1)	
LC50 - Fish [1]	72860 mg/l (Pimephales promelas)
EC50 - Crustacea [1]	> 100 mg/l (Daphnia magna)
NOEC (chronic)	≥ 1000 mg/l (23 d, Americamysis bahia)
LD50 dermal rat	> 3500 mg/kg

Glycerine (56-81-5)	
LC50 - Fish [1]	54000 mg/l (96 h, Oncorhynchus mykiss)
LD50 dermal rabbit	> 10000 mg/kg
LD50 oral rat	12600 mg/kg

Sodium hydroxide (1310-73-2)	
EC50 - Crustacea [1]	40 mg/l

12.2. Persistence and degradability

VERSAPASS® DA-W v2 Cyan	
Persistence and degradability	Biodegradability in water: no data available.

VERSAPASS® DA-W v2 Cyan

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

12.3. Bioaccumulative potential

VERSAPASS® DA-W v2 Cyan

Bioaccumulative potential	No data available concerning bioaccumulation.
---------------------------	---

12.4. Mobility in soil

VERSAPASS® DA-W v2 Cyan

Ecology - soil	No additional information available.
----------------	--------------------------------------

12.5. Other adverse effects

Ozone	: Not classified
Other adverse effects	: No additional information available.

VERSAPASS® DA-W v2 Cyan

Fluorinated greenhouse gases	False
------------------------------	-------

SECTION 13: Disposal considerations

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Do not dispose of waste into sewer.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecological waste information	: Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADG / IMDG / IATA

ADG	IMDG	IATA
14.1. UN number		
Not applicable	Not regulated	Not regulated
14.2. UN Proper Shipping Name		
Not applicable	Not regulated	Not regulated
14.3. Transport hazard class(es)		
Not applicable	Not regulated	Not regulated
14.4. Packing group		
Not applicable	Not regulated	Not regulated
14.5. Environmental hazards		
Not applicable	Not regulated	Not regulated

14.6. Special precautions for user

Specific storage requirement	: No data available
Shock sensitivity	: No data available

14.7. Additional information

Other information	: No supplementary information available
-------------------	--

Transport by road and rail

Not applicable

Transport by sea

Not regulated

VERSAPASS® DA-W v2 Cyan

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Air transport

Not regulated

14.8. Hazchem or Emergency Action Code

Hazchem Code : Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations

Australian Industrial Chemicals Introduction Scheme (AICIS)

Australian Inventory of Industrial Chemicals (AICIS) : All the chemicals contained in this product are listed introductions
Inventory) status

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

No additional information available

Australian Pesticides and Veterinary Medicines Authority (APVMA)

No additional information available

15.2. International agreements

No additional information available

SECTION 16: Other information

Data sources : Supplier's safety documents.

Classification

Skin Sens. 1A	H317
---------------	------

Full text of H-statements

Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr./Irrit. Not classified	Skin corrosion/irritation Not classified
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1A	Skin sensitisation, category 1A
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H330	Fatal if inhaled
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life

VERSAPASS® DA-W v2 Cyan

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Full text of H-statements

H410

Very toxic to aquatic life with long lasting effects

Safety Data Sheet (SDS), Australia

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.