

SECTION 1 Identification

1.1. GHS Product identifier

Product form : Mixture
Trade name : VERSAPASS® DA-W v2 Magenta

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use : Ink for printing
Restrictions on use : No additional information available

1.4. Supplier's details

Supplier

Memjet Ltd.
14 Montague Lane
Dublin 2, D02 PX60
Ireland
+353 1 678 0420
msds@memjet.com
www.memjet.com

Importer

1.5. Emergency phone number

Emergency number : CHEMTREC Primary Phone Numbers (24 hours): U.S. 1-800-424-9300, International: +1-703-527-3887, Local : +1 703-741-5970

SECTION 2 Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA)

Serious eye damage/eye irritation, Category 2	H319	Causes serious eye irritation.
Skin sensitization, Category 1A	H317	May cause an allergic skin reaction.
Specific target organ toxicity, Repeated exposure, Category 2	H373	May cause damage to organs through prolonged or repeated exposure.

Full text of H statements : see section 16

2.2. GHS label elements, including precautionary statements

GHS CA labeling

Hazard pictograms (GHS CA)



Signal word (GHS CA) : Warning

Hazard statements (GHS CA)

: H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H373 - May cause damage to organs through prolonged or repeated exposure.

Precautionary statements (GHS CA)

: P260 - Do not breathe vapors.
P264 - Wash hands thoroughly after handling.

VERSAPASS® DA-W v2 Magenta

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

P272 - Contaminated work clothing should not be allowed out of the workplace.
P280 - Wear protective gloves, protective clothing, eye protection.
P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P314 - Get medical advice, Get medical attention.
P321 - Specific treatment (see specific cleansing agent(s) on this label).
P333+P313 - If skin irritation or rash occurs: Get medical advice, Get medical attention.
P337+P313 - If eye irritation persists: Get medical advice, Get medical attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P501 - Dispose of contents and container to a hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS CA)
Ethylene glycol	ethanediol; ethylene glycol	CAS-No.: 107-21-1	≥ 5 – < 10	Acute Tox. 4 (Oral), H302 STOT RE 2, H373
6-Benzothiazolesulfonic acid, 2-[4-cyano-3-(1,1-dimethylethyl)-5-[2-[4-methyl-6-[(6-sulfo-2-benzothiazolyl)(2,4,6-trimethyl-3-sulfophenyl)amino]-2-[(2,4,6-trimethyl-3-sulfophenyl)amino]-3-pyridinyl]diazetyl]-1H-pyrazol-1-yl]-, potassium sodium salt	-	CAS-No.: 1158816-93-3	≥ 1 – < 5	Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
2,4,7,9-tetramethyl-5-decyne-4,7-diol ethoxylate	-	CAS-No.: 9014-85-1	≥ 0.5 – < 1.5	Eye Dam. 1, H318 Aquatic Chronic 3, H412
1,2-benzisothiazol-3(2H)-one	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	CAS-No.: 2634-33-5	< 0.1	Acute Tox. 4 (Oral), H302 Acute Tox. 2 (Inhalation), H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of hazard classes and H-statements : see section 16

Comments : The exact percentage (concentration) in the composition has been withheld as a trade secret in accordance with the amended HPR as of December 2022

VERSAPASS® DA-W v2 Magenta

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 4 First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures after inhalation	: If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Wash skin thoroughly with mild soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do not induce vomiting. Rinse mouth out with water. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	: At high concentrations, the vapors can be irritating to the respiratory system.
Symptoms/effects after skin contact	: May cause an allergic skin reaction. Rednesses. Itching. Swelling. Allergic skin rash.
Symptoms/effects after eye contact	: Causes serious eye irritation. Blurred vision. Redness, itching, tears.
Symptoms/effects after ingestion	: Ingestion may cause nausea, vomiting and diarrhea. Abdominal pain.
Chronic symptoms	: May cause damage to organs through prolonged or repeated exposure.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

SECTION 5 Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media	: Dry powder. Carbon dioxide. Water spray. Foam. Use extinguishing agent suitable for surrounding fire.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard	: Presents no particular fire or explosion hazard. Burning produces stinking and toxic fumes. In case of fire and/or explosion do not breathe fumes.
Hazardous decomposition products in case of fire	: Toxic fumes may be released. Carbon dioxide. Carbon monoxide.

5.3. Special protective actions for fire-fighters

Firefighting instructions	: Evacuate the danger area. Move containers from fire area if it can be done without personal risk. Use water spray or fog for cooling exposed containers. Fight fire from safe distance and protected location. Use extinguishing media appropriate for surrounding fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Wear a self contained breathing apparatus. Wear fire/flamm resistant/retardant clothing. Do not attempt to take action without suitable protective equipment.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Avoid all contact with skin, eyes, or clothing.
Environmental precautions	: Avoid release to the environment. Notify authorities if product enters sewers or public waters.

VERSAPASS® DA-W v2 Magenta

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

6.2. Methods and materials for containment and cleaning up

- For containment : Stop leak, if possible without risk. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Caution : this product can cause the floor to be slippery.
- Methods for cleaning up : Move containers from spill area. Recover small spills with a suitable absorbent, like diatomaceous earth. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Ventilate spillage area. Clean contaminated surfaces with an excess of water. Prevent entry to sewers and public waters.
- Other information : Dispose of via an authorised person/ licensed waste disposal contractor or by other suitable waste treatment techniques. Dispose of materials or solid residues at an authorized site.
- For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7 Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Ensure good ventilation of the work station. Provide local exhaust or general room ventilation. Do not breathe vapors. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Strong oxidizers, Store in a dry place. Keep away from food, drink and animal feed. Keep container tightly closed. Containers which are opened should be properly resealed and kept upright to prevent leakage. Store in accordance with local, regional, national or international regulation.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

Ethylene glycol (107-21-1)	
Canada (Alberta) - Occupational Exposure Limits	
Local name	Ethylene glycol
OEL C	100 mg/m ³
Notations and remarks	Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required.
Regulatory reference	Alberta Regulation 191/2021
Canada (Quebec) - Occupational Exposure Limits	
Local name	Ethylene glycol (vapour and mist)
Plafond (OEL C)	127 mg/m ³
	50 ppm
Notations and remarks	RP
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety

VERSAPASS® DA-W v2 Magenta

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Ethylene glycol (107-21-1)	
Canada (British Columbia) - Occupational Exposure Limits	
Local name	Ethylene glycol
OEL TWA	10 mg/m³ Total, aerosol only
OEL STEL	20 mg/m³ Total, aerosol only
OEL C	100 mg/m³ Total, aerosol only
	50 ppm Vapour
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)
Canada (Manitoba) - Occupational Exposure Limits	
Local name	Ethylene glycol
OEL TWA	25 ppm (V - Vapor fraction)
OEL STEL	10 mg/m³ (I - Inhalable particulate matter, H - Aerosol only)
	50 ppm (V - Vapor fraction)
Notations and remarks	TLV® Basis: URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2025
Canada (Newfoundland and Labrador) - Occupational Exposure Limits	
Local name	Ethylene glycol
OEL TWA	25 ppm (V - Vapor fraction)
OEL STEL	10 mg/m³ (I - Inhalable particulate matter, H - Aerosol only)
	50 ppm (V - Vapor fraction)
Notations and remarks	TLV® Basis: URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2025
Canada (Nova Scotia) - Occupational Exposure Limits	
Local name	Ethylene glycol
OEL TWA	25 ppm (V - Vapor fraction)
OEL STEL	10 mg/m³ (I - Inhalable particulate matter, H - Aerosol only)
	50 ppm (V - Vapor fraction)
Notations and remarks	TLV® Basis: URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2025
Canada (Nunavut) - Occupational Exposure Limits	
Local name	Ethylene glycol, (as an aerosol)
OEL C	100 mg/m³
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)
Canada (Northwest Territories) - Occupational Exposure Limits	
Local name	Ethylene glycol, (as an aerosol)
OEL C	100 mg/m³
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-090-2024)

VERSAPASS® DA-W v2 Magenta

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Ethylene glycol (107-21-1)	
Canada (Ontario) - Occupational Exposure Limits	
Local name	Ethylene glycol
OEL C	100 mg/m ³ (H - Aerosol only)
Regulatory reference	Occupational Health and Safety Act, R.S.O. 1990, c. O.1 - R.R.O. 1990, Reg. 833: Control of exposure to biological or chemical agents
Canada (Prince Edward Island) - Occupational Exposure Limits	
Local name	Ethylene glycol
OEL TWA	25 ppm (V - Vapor fraction)
OEL STEL	10 mg/m ³ (I - Inhalable particulate matter, H - Aerosol only)
	50 ppm (V - Vapor fraction)
Notations and remarks	TLV® Basis: URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2025
Canada (Saskatchewan) - Occupational Exposure Limits	
Local name	Ethylene glycol, (as an aerosol)
OEL C	100 mg/m ³
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10

8.2. Appropriate engineering controls

Appropriate engineering controls	: Provide local exhaust or general room ventilation. Ensure exposure is below occupational exposure limits (where available). Handle in accordance with good industrial hygiene and safety procedures. Avoid all unnecessary exposure.
Environmental exposure controls	: Avoid release to the environment. Technical onsite conditions and measures to reduce or limit discharges, air emissions and releases to soil.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment:

Wear recommended personal protective equipment. Personal protective equipment should be chosen according to the NIOSH standards and in discussion with the supplier of the protective equipment.

Hand protection:

Wear suitable gloves resistant to chemical penetration. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer

Eye protection:

Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing. Skin protection appropriate to the conditions of use should be provided

Respiratory protection:

No respiratory protection needed under normal use conditions. Where excessive vapor, mist, or dust may result, use approved respiratory protection equipment

VERSAPASS® DA-W v2 Magenta

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Liquid
Appearance	: No data available
Color	: Red
Odor	: According to product specification
Odor threshold	: No data available
pH	: 6 – 8
Relative evaporation rate (butyl acetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Density	: 1 – 1.1
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: 1.818 – 4 mm ² /s
Viscosity, dynamic	: 2 – 4 mPa·s (25 °C, 77 °F)
Explosion limits	: No data available
Particle characteristics	: No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport. No dangerous reactions known.
Chemical stability	: Stable under normal conditions of use.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use. Hazardous polymerization: Will not occur.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7). Protect from sunlight. Overheating. Extremely high or low temperatures.
Incompatible materials	: Oxidising agents.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hardening time:	: No additional information available

SECTION 11 Toxicological information

11.1. Likely routes of exposure

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

VERSAPASS® DA-W v2 Magenta

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

1,2-benzisothiazol-3(2H)-one (2634-33-5)	
ATE CA (oral)	450 mg/kg body weight
ATE CA (Gases)	100 ppmV/4h
ATE CA (vapors)	0.5 mg/l/4h
ATE CA (dust,mist)	0.21 mg/l/4h
Ethylene glycol (107-21-1)	
LD50 dermal rat	> 3500 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	> 2.5 mg/l/4h
LC50 Inhalation - Rat (Vapors)	> 2.5 mg/l/4h
ATE CA (oral)	500 mg/kg body weight
2,4,7,9-tetramethyl-5-decyne-4,7-diol ethoxylate (9014-85-1)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat (Vapors)	> 20 mg/l/4h
Skin corrosion/irritation	: Not classified. pH: 6 – 8
Serious eye damage/irritation	: Causes serious eye irritation. pH: 6 – 8
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.
Ethylene glycol (107-21-1)	
LOAEL (oral,rat,90 days)	1000 mg/kg bodyweight/day
NOAEL (oral,rat,90 days)	150 mg/kg bodyweight/day (kidney)
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
2,4,7,9-tetramethyl-5-decyne-4,7-diol ethoxylate (9014-85-1)	
NOAEL (subacute,oral,animal/male,28 days)	200 mg/kg body weight
Aspiration hazard	: Not classified
VERSAPASS® DA-W v2 Magenta	
Viscosity, kinematic	1.818 – 4 mm²/s
Symptoms/effects after inhalation	: At high concentrations, the vapors can be irritating to the respiratory system.
Symptoms/effects after skin contact	: May cause an allergic skin reaction. Rednesses. Itching. Swelling. Allergic skin rash.
Symptoms/effects after eye contact	: Causes serious eye irritation. Blurred vision. Redness, itching, tears.
Symptoms/effects after ingestion	: Ingestion may cause nausea, vomiting and diarrhea. Abdominal pain.
Chronic symptoms	: May cause damage to organs through prolonged or repeated exposure.
Other information	: No experimental study on the product is available. The information given is based on our knowledge of the components and the classification of the product is determined by calculation.

VERSAPASS® DA-W v2 Magenta

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 12 Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified.

Hazardous to the aquatic environment, long-term (chronic) : Not classified.

Ethylene glycol (107-21-1)	
LC50 - Fish [1]	72860 mg/l (Pimephales promelas)
EC50 - Crustacea [1]	> 100 mg/l (Daphnia magna)
EC50 96h - Algae [1]	3536 mg/l
EC50 96h - Algae [2]	6500 – 13000 mg/l (Pseudokirchneriella subcapitata)
NOEC (chronic)	≥ 1000 mg/l (23 d, Americamysis bahia)

12.2. Persistence and degradability

VERSAPASS® DA-W v2 Magenta

Persistence and degradability	Biodegradability in water: no data available.
-------------------------------	---

12.3. Bioaccumulative potential

VERSAPASS® DA-W v2 Magenta

Bioaccumulative potential	No data available concerning bioaccumulation.
---------------------------	---

12.4. Mobility in soil

VERSAPASS® DA-W v2 Magenta

Ecology - soil	No additional information available.
----------------	--------------------------------------

12.5. Other adverse effects

Ozone : Not classified

Other adverse effects : No additional information available.

Fluorinated greenhouse gases : No

SECTION 13 Disposal considerations

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Do not dispose of waste into sewer.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecological waste information	: Avoid release to the environment.

SECTION 14 Transport information

In accordance with TDG / DOT / IMDG / IATA

TDG	DOT	IMDG	IATA
14.1. UN Number			
Not regulated for transport			

VERSAPASS® DA-W v2 Magenta

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

TDG	DOT	IMDG	IATA
14.2. UN Proper Shipping Name			
Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.3. Transport hazard class(es)			
Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.4. Packing group, if applicable			
Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.5. Environmental hazards			
Not regulated.	Not regulated.	Not regulated.	Not regulated.
No supplementary information available			

14.6. Special precautions for user

TDG

Not regulated.

DOT

Not regulated.

IMDG

Not regulated.

IATA

Not regulated.

14.7. Transport in bulk according to Annex II of MARPOL 73/78⁹ and the IBC Code¹⁰

Not applicable

SECTION 15 Regulatory information

6-Benzothiazolesulfonic acid, 2-[4-cyano-3-(1,1-dimethylethyl)-5-[2-[4-methyl-6-[(6-sulfo-2-benzothiazolyl)(2,4,6-trimethyl-3-sulfophenyl)amino]-2-[(2,4,6-trimethyl-3-sulfophenyl)amino]-3-pyridinyl]diazenyl]-1H-pyrazol-1-yl]-, potassium sodium salt (1158816-93-3)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

1,2-benzisothiazol-3(2H)-one (2634-33-5)

Listed on the Canadian DSL (Domestic Substances List)

Ethylene glycol (107-21-1)

Listed on the Canadian DSL (Domestic Substances List)

2,4,7,9-tetramethyl-5-decyne-4,7-diol ethoxylate (9014-85-1)

Listed on the Canadian DSL (Domestic Substances List)

VERSAPASS® DA-W v2 Magenta

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

VERSAPASS® DA-W v2 Magenta

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

6-Benzothiazolesulfonic acid, 2-[4-cyano-3-(1,1-dimethylethyl)-5-[2-[4-methyl-6-[(6-sulfo-2-benzothiazolyl)(2,4,6-trimethyl-3-sulfophenyl)amino]-2-[(2,4,6-trimethyl-3-sulfophenyl)amino]-3-pyridinyl]diazenyl]-1H-pyrazol-1-yl]-, potassium sodium salt (1158816-93-3)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

1,2-benzisothiazol-3(2H)-one (2634-33-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Ethylene glycol (107-21-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

2,4,7,9-tetramethyl-5-decyne-4,7-diol ethoxylate (9014-85-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

SECTION 16 Other Information

Issue date : 12-17-2025

Data sources : Supplier's safety documents. ECHA (European Chemicals Agency).

Training advice : Training staff on good practice.

Full text of hazard classes and H-statements:

H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H330	Fatal if inhaled
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Abbreviations and acronyms:

ATE	Acute Toxicity Estimate
CAS-No.	Chemical Abstracts Service number
EC50	Median effective concentration
EC-No.	European Community number
IARC	International Agency for Research on Cancer

VERSAPASS® DA-W v2 Magenta

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Abbreviations and acronyms:

IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
N.O.S.	Not Otherwise Specified
NOAEL	No-Observed Adverse Effect Level
OEL	Occupational Exposure Limit
OECD	Organization for Economic Co-operation and Development
SDS	Safety Data Sheet

Safety Data Sheet (SDS), Canada

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.